

## SAFETY DATA SHEET BAL POURABLE ONE

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 4. Identification of the	a substance/mixture and of the company/undertailing
	ne substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	BAL POURABLE ONE
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Identified uses	Cement based adhesive.
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of the supplier of the supplier of the supplier of the supplication of the su	ne safety data sheet
Supplier	Building Adhesives Ltd
	Longton Road,
	Trentham,
	Stoke on Trent
	ST4 8JB
	01782 591100
Contact person	sdsreply@building-adhesives.com
1.4. Emergency telephone number	
Emergency telephone	UK and ROI:- 01865 407 333 (available 24/7/365) ROI:- +353 (0)1 809 2166 (available 8am- 10pm, 7 days)
SECTION 2: Hazards identification	ation
2.1. Classification of the substance or mixture	
Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335
Environmental hazards	Not Classified
Human health	When the cement based powder is mixed with water or admixture, a strongly alkaline paste is produced. Cement based products may, until set, cause both irritant and allergic contact dermatitis. Irritrant contact dermatitis is due to a combination of the wetness, alkalinity and abrasiveness of the constituent materials. Allergic contact dermatitis is caused mainly by the sensitivity of the individual's skin to hexavalent chromium salts. Corrosive. Prolonged contact causes serious eye and tissue damage.
Environmental	The product is not expected to be hazardous to the environment.

2.2. Label elements

### Hazard pictograms



Signal word	Danger
Hazard statements	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	<ul> <li>P102 Keep out of reach of children.</li> <li>P261 Avoid breathing dust.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P501 Dispose of contents/ container in accordance with local regulations.</li> </ul>
Contains	ORDINARY PORTLAND CEMENT, CALCIUM SULFOALUMINATE CEMENT

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures ORDINARY PORTLAND CEMENT 10-30% CAS number: 65997-15-1 EC number: 266-043-4 Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335 CALCIUM SULFOALUMINATE CEMENT 5-10% CAS number: 12004-14-7 Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335

The full text for all hazard statements is displayed in Section 16.

**Composition comments** This product contains a reducing agent to ensure that the CrVI content of the cement in the product remains below 2ppm during the defined shelf life of the product.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

**General information** 

Consult a physician for specific advice.

Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Remove affected person from source of contamination. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.
Ingestion	May cause chemical burns in mouth and throat.
Skin contact	May cause serious chemical burns to the skin.
Eye contact	May cause severe eye irritation. May cause blurred vision and serious eye damage.
4.3. Indication of any immediate medical attention and special treatment needed	
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising from	om the substance or mixture
Specific hazards	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. No unusual fire or explosion hazards noted.
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.
5.3. Advice for firefighters	
Protective actions during firefighting	No specific firefighting precautions known.
Special protective equipment for firefighters	Wear chemical protective suit.
SECTION 6: Accidental release measures	
6.1. Personal precautions, protective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.
6.3 Methods and material for	containment and cleaning up

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Avoid contact with skin or inhalation of spillage, dust or vapour. Dampen spillage with water. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses. Collect and place in suitable waste disposal
	containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water.

### 6.4. Reference to other sections

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Usage precautions	Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid handling which leads to dust formation.
7.2. Conditions for safe storage, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure controls/Personal protection	

#### 8.1. Control parameters

Occupational exposure limits

### ORDINARY PORTLAND CEMENT

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m<sup>3</sup> respirable dust

### CALCIUM SULFOALUMINATE CEMENT

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m<sup>3</sup> respirable dust WEL = Workplace Exposure Limit

Ingredient comments

WEL = Workplace Exposure Limits

### LITHIUM CARBONATE (CAS: 554-13-2)

DNEL

- Inhalation; Long term systemic effects: 10 mg/m<sup>3</sup>
- Dermal; Long term systemic effects: 64 mg/kg/day

PNEC

- Fresh water; Intermittent release 0.9 mg/l

### 8.2. Exposure controls

### Protective equipment



B

Appropriate engineering controls

Eye/face protection

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection	Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. The selected gloves should have a breakthrough time of at least >8 hours. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.	
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.	
Hygiene measures	Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Do not eat, drink or smoke when using this product.	
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Use respiratory equipment with particle filter type P2	
Thermal hazards	Not applicable.	
Environmental exposure controls	Avoid release to the environment.	
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Appearance	Dusty powder.	
Colour	Off-white.	

Colour	Off-white.
рН	pH (concentrated solution): 12-13
Solubility(ies)	Slightly soluble in water.

9.2. Other information

Other information

10.1. Reactivity

Reactivity

Not applicable.

### SECTION 10: Stability and reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability Stability

Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

 Possibility of hazardous
 Not applicable.

 reactions
 10.4. Conditions to avoid

Conditions to avoid Avoid contact with acids. Water, moisture.

10.5. Incompatible materials

Materials to avoid Strong acids. Aluminium powder

### 10.6. Hazardous decomposition products

Hazardous decomposition	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).
products	

### SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Skin corrosion/irritation

Revision date: 28/04/2020

# BAL POURABLE ONE

Skin corrosion/irritation	Severe skin irritation.
Extreme pH	≥ 11.5
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye damage.
Respiratory sensitisation Respiratory sensitisation	Not known.
Skin sensitisation Skin sensitisation	May cause sensitisation or allergic reactions in sensitive individuals.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Specific target organ toxicity -	
STOT - single exposure	Based on available data the classification criteria are not met.
Specific target organ toxicity -	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Not relevant.
Aspiration hazard	Not relevant. May cause respiratory system irritation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Harmful: danger of serious damage to health by prolonged exposure through inhalation.
	May cause respiratory system irritation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Harmful: danger of serious damage to health by prolonged
Inhalation	May cause respiratory system irritation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Harmful: danger of serious damage to health by prolonged exposure through inhalation. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal
Inhalation Ingestion	May cause respiratory system irritation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Harmful: danger of serious damage to health by prolonged exposure through inhalation. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. The product contains a small amount of sensitising substance. May cause sensitisation or
Inhalation Ingestion Skin contact	May cause respiratory system irritation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Harmful: danger of serious damage to health by prolonged exposure through inhalation. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals.
Inhalation Ingestion Skin contact Eye contact Acute and chronic health	May cause respiratory system irritation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Harmful: danger of serious damage to health by prolonged exposure through inhalation. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals. Risk of serious damage to eyes. May cause chemical eye burns. Repeated exposure in excess of the WEL has been linked with rhinitis and coughing. Skin exposure has been linked to allergic chromium dermatitis.
Inhalation Ingestion Skin contact Eye contact Acute and chronic health hazards	May cause respiratory system irritation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Harmful: danger of serious damage to health by prolonged exposure through inhalation. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals. Risk of serious damage to eyes. May cause chemical eye burns. Repeated exposure in excess of the WEL has been linked with rhinitis and coughing. Skin exposure has been linked to allergic chromium dermatitis.
Inhalation Ingestion Skin contact Eye contact Acute and chronic health hazards SECTION 12: Ecological infor	May cause respiratory system irritation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Harmful: danger of serious damage to health by prolonged exposure through inhalation. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals. Risk of serious damage to eyes. May cause chemical eye burns. Repeated exposure in excess of the WEL has been linked with rhinitis and coughing. Skin exposure has been linked to allergic chromium dermatitis.

### 12.2. Persistence and degradability

Persistence and degradability	Not relevant. After hardening, cement presents no toxicity risks. There are no data on the degradability of this product.
12.3. Bioaccumulative potential	al No data available on bioaccumulation.
Bioaccumulative potential	
12.4. Mobility in soil	
Mobility	The product is non-volatile. The product is insoluble in water and will sediment in water systems.
12.5. Results of PBT and vPvI	3 assessment
Results of PBT and vPvB assessment	Not relevant.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	ls
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Product that contains >2ppm CrVI should be disposed of according to local legislation or should be treated with a reducing agent before use. Product that is within shelf life may be hydrated with water and disposed of according to local legislation. The hydrated product is not hazardous.
SECTION 14: Transport information	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
Road transport notes	Not classified.
Rail transport notes	Not classified.
Sea transport notes	Not classified.
Air transport notes	Not classified.
14.1. UN number	
Not applicable.	
14.2. UN proper shipping nam	e
Not applicable.	
14.3. Transport hazard class(es)	
Not applicable.	
Transport labels No transport warning sign required.	
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous su	bstance/marine pollutant

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	Workplace Exposure Limits EH40.
Health and environmental listings	None of the ingredients are listed.
Authorisations (Annex XIV Regulation 1907/2006)	No specific authorisations are known for this product.
Restrictions (Annex XVII Regulation 1907/2006)	No specific restrictions on use are known for this product.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Revision comments	2
Issued by	Technical Manager
Revision date	28/04/2020
Hazard statements in full	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.