

Ref: DOP 1017

DECLARATION OF PERFORMANCE

in accordance with Annex 111 of Regulation (EU) No. 305/2011

(Construction Products Regulation)

1. Unique identification code of the product type:

ULTRA FLOOR LEVEL IT SMOOTHFLOW

2. Type, batch or serial number or other identifying mark to identify the construction product as set out in Article 11 (4):

Product formulation reference X3511

3. Intended use as foreseen by the manufacturer of the construction product in accordance with harmonised technical specification:

Cementitious screed material for use internally in buildings

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as set out in Article 11 (5):

Instarmac Group plc
Birch Coppice Industrial Estate
Danny Morson Way, Dordon
Tamworth B78 1SE
United Kingdom

5. When applicable, the name and contact address of the authorised representative who has received a mandate for the tasks set out in Article 12 (2):

Not relevant

6. System or systems for assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4 + 4

7. In the case of a declaration of performance concerning a construction product that is covered by a harmonised standard:

The manufacturer has carried out initial type testing to System 4 + 4.



Ref: DOP 1017

8.	In the case of the declaration of performance concerning a construction product for whicl European Technical Assessment has been issued.	
	Not relevant	

9. Declared performance

Essential characteristics	<u>Performance</u>	Harmonised technical specification
Compressive Strength	C35	
Flexural strength	F6	BSEN 13813:2002
Reaction to Fire	Class E WFT	
Release of corrosive		

CT

CLASSIFICATION - CT-C35-F6

Substances

10. The performance of the product identified in items 1 and 2 in conformity with the declared performance set out in item 9. The manufacturer as defined in number 4 is solely responsible for drawing up this declaration of performance.

Signed for on behalf of the manufacturer by:

EMphy.	
	Tamworth – 13.06.13
(Signature)	(Place & Date Issued
Chris Murphy - Technical Director	