

SAFETY DATA SHEET BAL TERRACE GROUT

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	BAL TERRACE GROUT
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	Cement based grout.
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of	the safety data sheet
Supplier	Building Adhesives Ltd Longton Road, Trentham, Stoke on Trent ST4 8JB 01782 591100
Contact person	sdsreply@building-adhesives.com
1.4. Emergency telephone nu	umber
Emergency telephone	UK and ROI:- 01865 407 333 (available 24/7/365)
SECTION 2: Hazards identifi	cation
2.1. Classification of the subs	stance or mixture
Classification (EC 1272/2008	3) Not Classified
Physical hazards	
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335
Environmental hazards	Not Classified
Human health	When the cement based powder is mixed with water or admixture, a strongly alkaline paste is produced. Cement based products may, until set, cause both irritant and allergic contact dermatitis. Irritrant contact dermatitis is due to a combination of the wetness, alkalinity and abrasiveness of the constituent materials. Allergic contact dermatitis is caused mainly by the sensitivity of the individual's skin to hexavalent chromium salts. Corrosive. Prolonged contact causes serious eye and tissue damage.
Environmental	The product is not expected to be hazardous to the environment.
2.2. Label elements	
Hazard pictograms	

1/8

Signal word	Danger
Hazard statements	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	 P102 Keep out of reach of children. P261 Avoid breathing dust. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/ container in accordance with local regulations.
Contains	ORDINARY PORTLAND CEMENT

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ORDINARY PORTLAND CEMENT		30-60%
CAS number: 65997-15-1	EC number: 266-043-4	
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
CALCIUM FORMATE		<1%
CAS number: 544-17-2	EC number: 208-863-7	
Classification		
Eye Dam. 1 - H318		

The full text for all hazard statements is displayed in Section 16.

Composition comments	Contains OPC with a CrVI level below 2ppm.	
SECTION 4: First aid measures		
4.1. Description of first aid measures		
General information	Consult a physician for specific advice.	
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.	
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately.	
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.	
Eye contact	Remove affected person from source of contamination. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.
Ingestion	May cause chemical burns in mouth and throat.
Skin contact	May cause serious chemical burns to the skin.
Eye contact	May cause severe eye irritation. May cause blurred vision and serious eye damage.
4.3. Indication of any immediat	e medical attention and special treatment needed
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
SECTION 5: Firefighting measure	ures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising fro	m the substance or mixture
Specific hazards	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. No unusual fire or explosion hazards noted.
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.
5.3. Advice for firefighters	
Protective actions during firefighting	No specific firefighting precautions known.
Special protective equipment for firefighters	Wear chemical protective suit.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, prot	ective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precautions	<u>b</u>
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.
6.3. Methods and material for c	containment and cleaning up
Methods for cleaning up	Avoid contact with skin or inhalation of spillage, dust or vapour. Dampen spillage with water. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty
	of water.
6.4. Reference to other section	of water.
6.4. Reference to other section Reference to other sections	of water.
	of water. s Wear protective clothing as described in Section 8 of this safety data sheet.
Reference to other sections	of water. <u>s</u> Wear protective clothing as described in Section 8 of this safety data sheet. rage
Reference to other sections SECTION 7: Handling and stor	of water. <u>s</u> Wear protective clothing as described in Section 8 of this safety data sheet. rage

Storage precautions

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ORDINARY PORTLAND CEMENT

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust WEL = Workplace Exposure Limit.

Ingredient comments

WEL = Workplace Exposure Limits

CALCIUM FORMATE (CAS: 544-17-2)

DNEL

Workers - Dermal; Short term systemic effects: 4780 mg/kg/day Workers - Inhalation; : 337 mg/m³
Workers - Dermal; Short term local effects: 16.7 mg/cm ²
General population - Dermal; Short term systemic effects: 2390 mg/kg/day
General population - Inhalation; : 83.2 mg/m ³
General population - Dermal; Short term local effects: 8.3 mg/cm ²
General population - Oral; : 23.9 mg/kg/day

8.2. Exposure controls





Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. The selected gloves should have a breakthrough time of at least >8 hours. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Do not eat, drink or smoke when using this product.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Use respiratory equipment with particle filter type P2
Thermal hazards	Not applicable.
Environmental exposure controls	Avoid release to the environment.

SECTION 9: Physical and che	mical properties	
9.1. Information on basic physical and chemical properties		
Appearance	Dusty powder.	
Colour	Various colours.	
рН	pH (concentrated solution): 12-13	
Solubility(ies)	Slightly soluble in water.	
9.2. Other information		
Other information	Not applicable.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Not applicable.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid contact with acids. Water, moisture.	
10.5. Incompatible materials		
Materials to avoid	Strong acids. Aluminium powder	
10.6. Hazardous decomposition	on products	
Hazardous decomposition products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).	
SECTION 11: Toxicological int	formation	
11.1. Information on toxicologi	cal effects	
Skin corrosion/irritation Skin corrosion/irritation	Severe skin irritation.	
	≥ 11.5	
Extreme pH	2 11.5	
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye damage.	
Respiratory sensitisation Respiratory sensitisation	Not known.	
Skin sensitisation Skin sensitisation	May cause sensitisation or allergic reactions in sensitive individuals.	
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Genotoxicity - in vivo	Based on available data the classification criteria are not met.	
Carcinogenicity		

Carcinogenicity	Based on available data the classification criteria are not met.	
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard Aspiration hazard	Not relevant.	
Inhalation	May cause respiratory system irritation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Harmful: danger of serious damage to health by prolonged exposure through inhalation.	
Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.	
Skin contact	The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals.	
Eye contact	Risk of serious damage to eyes. May cause chemical eye burns.	
Acute and chronic health hazards	Repeated exposure in excess of the WEL has been linked with rhinitis and coughing. Skin exposure has been linked to allergic chromium dermatitis.	
SECTION 12: Ecological information		
SECTION 12: Ecological infor	mation	
SECTION 12: Ecological infor	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.	
	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic	
Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic	
Ecotoxicity <u>12.1. Toxicity</u>	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product is not expected to be hazardous to the environment (LC50 aquatic toxicity rating not determined). The addition of cement based product to water will, however, cause the pH to rise and may, therefore, be toxic to aquatic life in some circumstances.	
Ecotoxicity <u>12.1. Toxicity</u> Toxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product is not expected to be hazardous to the environment (LC50 aquatic toxicity rating not determined). The addition of cement based product to water will, however, cause the pH to rise and may, therefore, be toxic to aquatic life in some circumstances.	
Ecotoxicity <u>12.1. Toxicity</u> Toxicity <u>12.2. Persistence and degrada</u>	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product is not expected to be hazardous to the environment (LC50 aquatic toxicity rating not determined). The addition of cement based product to water will, however, cause the pH to rise and may, therefore, be toxic to aquatic life in some circumstances. ability Not relevant. After hardening, cement presents no toxicity risks. There are no data on the degradability of this product.	
Ecotoxicity <u>12.1. Toxicity</u> Toxicity <u>12.2. Persistence and degrada</u> Persistence and degradability	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product is not expected to be hazardous to the environment (LC50 aquatic toxicity rating not determined). The addition of cement based product to water will, however, cause the pH to rise and may, therefore, be toxic to aquatic life in some circumstances. ability Not relevant. After hardening, cement presents no toxicity risks. There are no data on the degradability of this product.	
Ecotoxicity <u>12.1. Toxicity</u> Toxicity <u>12.2. Persistence and degrada</u> Persistence and degradability <u>12.3. Bioaccumulative potentia</u>	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product is not expected to be hazardous to the environment (LC50 aquatic toxicity rating not determined). The addition of cement based product to water will, however, cause the pH to rise and may, therefore, be toxic to aquatic life in some circumstances. ability Not relevant. After hardening, cement presents no toxicity risks. There are no data on the degradability of this product.	
Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrada Persistence and degradability 12.3. Bioaccumulative potential	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product is not expected to be hazardous to the environment (LC50 aquatic toxicity rating not determined). The addition of cement based product to water will, however, cause the pH to rise and may, therefore, be toxic to aquatic life in some circumstances. ability Not relevant. After hardening, cement presents no toxicity risks. There are no data on the degradability of this product.	
Ecotoxicity 12.1. Toxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrada Persistence and degradability 12.3. Bioaccumulative potential Bioaccumulative potential 12.4. Mobility in soil	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product is not expected to be hazardous to the environment (LC50 aquatic toxicity rating not determined). The addition of cement based product to water will, however, cause the pH to rise and may, therefore, be toxic to aquatic life in some circumstances. ability Not relevant. After hardening, cement presents no toxicity risks. There are no data on the degradability of this product. al No data available on bioaccumulation. The product is non-volatile. The product is insoluble in water and will sediment in water systems.	
Ecotoxicity <u>12.1. Toxicity</u> Toxicity <u>12.2. Persistence and degrada</u> Persistence and degradability <u>12.3. Bioaccumulative potential</u> Bioaccumulative potential <u>12.4. Mobility in soil</u> Mobility	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product is not expected to be hazardous to the environment (LC50 aquatic toxicity rating not determined). The addition of cement based product to water will, however, cause the pH to rise and may, therefore, be toxic to aquatic life in some circumstances. ability Not relevant. After hardening, cement presents no toxicity risks. There are no data on the degradability of this product. al No data available on bioaccumulation. The product is non-volatile. The product is insoluble in water and will sediment in water systems.	
Ecotoxicity <u>12.1. Toxicity</u> Toxicity <u>12.2. Persistence and degrada</u> Persistence and degradability <u>12.3. Bioaccumulative potential</u> <u>Bioaccumulative potential</u> <u>12.4. Mobility in soil</u> Mobility <u>12.5. Results of PBT and vPvB</u>	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product is not expected to be hazardous to the environment (LC50 aquatic toxicity rating not determined). The addition of cement based product to water will, however, cause the pH to rise and may, therefore, be toxic to aquatic life in some circumstances. ability Not relevant. After hardening, cement presents no toxicity risks. There are no data on the degradability of this product. al No data available on bioaccumulation. The product is non-volatile. The product is insoluble in water and will sediment in water systems. B assessment	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the
	local Waste Disposal Authority. Product that contains >2ppm CrVI should be disposed of
	according to local legislation or should be treated with a reducing agent before use. Product
	that is within shelf life may be hydrated with water and disposed of according to local
	legislation. The hydrated product is not hazardous.

SECTION 14: Transport information

SECTION 14. Transport line	חוומנטוו
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
Road transport notes	Not classified.
Rail transport notes	Not classified.
Sea transport notes	Not classified.
Air transport notes	Not classified.
14.1. UN number Not applicable.	
14.2. UN proper shipping na	ame
Not applicable.	
14.3. Transport hazard class	<u>s(es)</u>
Not applicable.	
Transport labels No transport warning sign re	equired.
14.4. Packing group	
Not applicable.	
14.5. Environmental hazard	S
Environmentally hazardous No.	substance/marine pollutant
14.6. Special precautions fo	r user
Not applicable.	
14.7. Transport in bulk acco	rding to Annex II of MARPOL and the IBC Code
Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code	
SECTION 15: Regulatory in	formation

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	Workplace Exposure Limits EH40.
Health and environmental listings	None of the ingredients are listed.
Authorisations (Annex XIV Regulation 1907/2006)	No specific authorisations are known for this product.
Restrictions (Annex XVII Regulation 1907/2006)	No specific restrictions on use are known for this product.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments	1
Issued by	Technical Manager
Revision date	08/09/2021
SDS number	20654
Hazard statements in full	 H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H331 Toxic if inhaled. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.