

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page

External Leveller

Revision Revision date 2021-01-20

I	SECTION 1: I	Identification of	the substance/mixture	e and of the co	mpany/undertaking
ı					

1.1. Product identifier

Product name	I External Leveller

	1.2. Relevant identified uses of t	ne substance of mixture and uses advised against
-		

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC0] Other;

Description Cement based Self Levelling Compound.

1.3. Details of the supplier of the safety data sheet

Address Unit 4, Tomlinson Point

Tomlinson Road

Leyland

Lancashire

PR25 2DY

Web www.tilemasteradhesives.co.uk

Telephone 01772 456 831

Fax 01772 436 974

Email info@tilemasteradhesives.co.uk

Email address of the info@tilemasteradhesives.co.uk competent person

1.4. Emergency telephone number

Emergency telephone number

01772 456 831

Tilemaster Adhesives Ltd. Company

8.00 am - 5.00 pm Mon - Fri

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335;

2.2. Label elements

Hazard pictograms





Signal Word

Danger

Hazard Statement

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Eye Dam. 1: H318 - Causes serious eye damage. STOT SE 3: H335 - May cause respiratory irritation.

Revision 1
Revision date 2021-01-20

2.2. Label elements

Prevention
Prevention
Prevention
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P501 - Dispose of contents/container to a licensed waste disposal site in accordance with the local

Disposal Waste Disposal Authority

2.3. Other hazards

Precautionary Statement:

Other hazards No data is available on this product.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Portland Cement		65997-15-1	266-043-4			Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335;
Calcium Carbonate		1317-65-3	215-279-6			
High Alumina Cement		65997-16-2	266-045-5			

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.	
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.	
Ingestion	DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause irritation to skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Do not allow runoff water to enter sewers or drains.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Revision 1
Revision date 2021-01-20

6.1. Personal precautions, prote	ctive equipment and emergency procedures		
	Ensure adequate ventilation of the working area. Wear eye/face protection. Wear suitable gloves. Wear suitable protective clothing.		
6.2. Environmental precautions			
	Do not allow product to enter drains. Prevent further spillage if safe.		
6.3. Methods and material for co	entainment and cleaning up		
	Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.		
6.4. Reference to other sections			
	See section 2, 8, 13 for further information.		
SECTION 7: Handling and st	torage		
7.1. Precautions for safe handling	ng		
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage,	including any incompatibilities		
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Store at temperatures above 5 °C.		
7.3. Specific end use(s)			
	See section 1.2 for further information.		
SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
	Exposure controls.		
8.1.1. Exposure Limit Values			

Revision 1
Revision date 2021-01-20

8.1.1. Exposure Limit Values

Calcium Carbonate	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust: WEL 8-hr limit mg/m3 total 4	inhalable dust: WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
High Alumina Cement	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total
Portland Cement	respirable dust: WEL 8-hr limit ppm: -	respirable dust: WEL 8-hr limit mg/m3: -
Fortialid Cement	•••	· ·
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10 inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	innalable dust: WEL 8-hr limit mg/m3 total 4	innalable dust: WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls

•	0.0.4. Annuandata annina anina	Conversed and the control of the control of
	8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.
	controls	
8.2.2. Individual protection		Wear protective clothing.
	measures	
	Eye / face protection	In case of splashing, wear:. Approved safety goggles.
	Skin protection -	Chemical resistant gloves (PVC).
	Handprotection	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 1
Revision date 2021-01-20

9.1. Information on basic physical and chemical properties

Powder Appearance Colour Grev Odourless Odour Odour threshold Not applicable. > 10 pН Melting point Not applicable. Freezing Point Not applicable. Initial boiling point Not applicable. Flash point Not applicable. **Evaporation rate** Not applicable. Flammability (solid, gas) Not applicable. Vapour pressure Not applicable. Vapour density Not applicable. Relative density No data available **Fat Solubility** Not applicable. Partition coefficient Not applicable. Autoignition temperature Not applicable. Viscosity Not applicable. Explosive properties Not applicable. Oxidising properties Not applicable.

9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
No data available
No data available
No data available

SECTION 10: Stability and reactivity

Solubility

10	.1.	Rea	ctivity

No data available.

Slightly miscible in water

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Moisture. Do not use below 5°C.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

No data is available on this product.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity No data is available on this product.

Revision 1
Revision date 2021-01-20

	Revision date 2021-01-20	
11.1. Information on toxicologica	al effects	
Skin corrosion/irritation	Irritating to skin.	
Serious eye damage/irritation	Irritating to eyes.	
Respiratory or skin sensitisation	No sensitizaton effects reported.	
Germ cell mutagenicity	No data is available on this product.	
Carcinogenicity	No data is available on this product.	
Reproductive toxicity	No data is available on this product.	
STOT-single exposure	No data available.	
STOT-repeated exposure	No data available.	
Aspiration hazard	No data is available on this product.	
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.	
11.1.4. Toxicological Information		
	No data available	
SECTION 12: Ecological information		
12.1. Toxicity		
	No data available	
12.2. Persistence and degradab	ility	
	No data is available on this product.	
12.3. Bioaccumulative potential		
	No data is available on this product.	
Partition coefficient		
	External Leveller Not applicable. Portland Cement Not applicable. Calcium Carbonate No data available High Alumina Cement Not applicable.	
	Calcium Carbonate No data available Fight Authina Cement Not applicable.	
12.4. Mobility in soil		
	No data is available on this product.	
12.5. Results of PBT and vPvB	assessment	
	No data is available on this product.	
12.6. Other adverse effects		
	No data is available on this product.	
SECTION 13: Disposal cons	iderations	
13.1. Waste treatment methods		
	Contact a licensed waste disposal company.	
General information		
	Dispose of in compliance with all local and national regulations.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.	
SECTION 14: Transport info	rmation	
14.1. UN number		
	The product is not classified as dangerous for carriage.	

Revision 1
Revision date 2021-01-20

Print date 2021-01-20

The product is not classified as dangerous for carriage.		
The product is not classified as dangerous for carriage.		
The product is not classified as dangerous for carriage.		
14.5. Environmental hazards		
The product is not classified as dangerous for carriage.		
14.6. Special precautions for user		
The product is not classified as dangerous for carriage.		
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
The product is not classified as dangerous for carriage.		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.		

15.2. Chemical safety assessment

A chemical safety assesment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

SECTION 16: Other information

Other information

Text of Hazard S	tatements ir
Section 3	

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Eye Dam. 1: H318 - Causes serious eye damage. STOT SE 3: H335 - May cause respiratory irritation.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.